

Safety Data Sheet

Printing date 01/23/2023

Version Number 1.0

Reviewed on 01/19/2023

1 Identification

Product identifierTrade name: *MK-6 S*

SDS ID Number: 2682

Relevant identified uses of the substance or mixture, and uses advised against:
Specialty construction product. Not intended for other uses.**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**GCP Applied Technologies
2325 Lakeview Pkwy
Alpharetta GA 30009 USAGCP Canada, Inc.
294 Clements Road W.
Ajax, Ontario L1S 3C6 Canada**Information department:**email: msds.gcp@gcpat.com

Environmental Health & Safety

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)

Email address: msds.gcp@gcpat.com**Emergency telephone number:**

2 Hazard(s) identification

Classification of the substance or mixture

May cause cancer. Route of exposure: Inhalation.

Causes damage to organs through prolonged or repeated exposure.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)**Hazard pictograms**

Danger

Hazard statements

May cause cancer. Route of exposure: Inhalation.

Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust.

Wash thoroughly after handling.

In case of inadequate ventilation wear respiratory protection.

Dispose of contents container in accordance with all applicable regulations.

Wash contaminated clothing before reuse.

If inhaled, get medical advice/attention if you feel unwell.

Safety Data Sheet

Printing date 01/23/2023

Version Number 1.0

Reviewed on 01/19/2023

Trade name: MK-6 S

(Cont. from page 1)

May cause skin and eye irritation.
Use personal protection equipment as required.

FOR PROFESSIONAL USE ONLY

Additional information: Avoid breathing dust.**Hazard description:**

NFPA ratings (scale 0 - 4)



Health = 1
Fire = 0
Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *1
Flammability = 0
Reactivity = 0

Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**3 Composition/information on ingredients****Chemical characterization: Mixture****Description:** Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.**Hazardous components:**

7778-18-9	Calcium sulfate, natural	50-90%
14808-60-7	Quartz (SiO ₂)	2.0 - 5.0%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.**4 First-aid measures****Description of first aid measures****General information:** Get medical advice/attention if you feel unwell.**After inhalation:** If breathing has stopped, give artificial respiration then oxygen if needed.**After skin contact:**

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

If skin irritation occurs, consult a doctor.

After eye contact:

Rinse cautiously with water for several minutes.

If eye irritation occurs, consult a doctor.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:**Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Cont. on page 3)

USGHS

Safety Data Sheet

Printing date 01/23/2023

Version Number 1.0

Reviewed on 01/19/2023

Trade name: *MK-6 S*

(Cont. from page 2)

Indication of any immediate medical attention and special treatment needed No further relevant information available.**5 Fire-fighting measures****Special hazards arising from the substance or mixture** No further relevant information available.**Additional information** No further relevant information available.**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**Wear protective equipment. Keep unprotected persons away.
Avoid formation of dust.**Methods and material for containment and cleaning up:**Sweep up spilled product into receptacles.
Avoid formation of dust.
Vacuuming or wet sweeping may be used to avoid dust dispersal.
Dispose contaminated material as waste according to section 13 of the SDS.**Reference to other sections**See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.**7 Handling and storage****Handling:****Precautions for safe handling**Avoid contact with skin.
Do not breathe dust.
Fit dust covers to mixers.
Prior to welding or cutting, Monokote must be removed from steel surfaces likely to be exposed to excessive heating.
Avoid contact with eyes.**Conditions for safe storage, including any incompatibilities****Storage:****Further information about storage conditions:** Store in cool, dry conditions in well sealed original receptacles.**Specific end use(s)** No further relevant information available.**8 Exposure controls/personal protection****Additional information about design of technical systems:** No further data; see item 7.**Control parameters****Components with limit values that require monitoring at the workplace:**14808-60-7 Quartz (SiO₂)

PEL (USA) | see Quartz listing

(Cont. on page 4)

USGHS

Safety Data Sheet

Printing date 01/23/2023

Version Number 1.0

Reviewed on 01/19/2023

Trade name: MK-6 S

(Cont. from page 3)

REL (USA)	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m ³ * as respirable fraction

Additional Occupational Exposure Limit Values for possible hazards during processing:

In addition to the exposure limits referenced above, the following non-specific limits for dust apply to this product; OSHA, 15 mg/m³-TWA for Total Dust and 5 mg/m³-TWA as Respirable Dust, ACGIH, 10 mg/m³-TWA as Total Dust and 3 mg/m³-TWA as Respirable Dust.

Additional information:

The lists that were valid during the creation were used as basis.

Canadian employers must consult the exposure limits in their province.

Work/Hygienic Practices: The usual precautionary measures for handling chemicals should be followed.

Exposure controls

Minimize airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organizational measures, eg. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Personal protective equipment:**General protective and hygienic measures:**

Store protective clothing separately.

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:

Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties**Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Powder
Color:	Grey
Odor:	Earthy
Odor threshold:	Not determined.

(Cont. on page 5)

USGHS

Safety Data Sheet

Printing date 01/23/2023

Version Number 1.0

Reviewed on 01/19/2023

Trade name: *MK-6 S*

(Cont. from page 4)

pH-value (~):	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density: (~)	Not determined.
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Molecular weight	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Cutting or welding may generate Sulfur dioxide.

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

USGHS
(Cont. on page 6)

Safety Data Sheet

Printing date 01/23/2023

Version Number 1.0

Reviewed on 01/19/2023

Trade name: *MK-6 S*

(Cont. from page 5)

11 Toxicological information**Information on toxicological effects****Acute toxicity:****Primary irritant effect:****on the skin:** No irritating effect expected**on the eye:** No irritating effect expected**inhalation:** No irritating effect expected**Additional toxicological information:**

Prolonged exposure may cause risk of lung disease (i.e. silicosis and/or lung cancer).

Carcinogenic categories**IARC (International Agency for Research on Cancer) Human Carcinogenicity:**
Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

14808-60-7	Quartz (SiO ₂)	1
9003-53-6	Expanded Polystyrene	3

NTP (National Toxicology Program)**K—Known to be carcinogenic, R—May reasonably be anticipated to be carcinogenic**

14808-60-7	Quartz (SiO ₂)	K
------------	----------------------------	---

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information**Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:** Not known to be hazardous to water.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

(Cont. on page 7)

USGHS

Safety Data Sheet

Printing date 01/23/2023

Version Number 1.0

Reviewed on 01/19/2023

Trade name: *MK-6 S*

(Cont. from page 6)

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

* **14 Transport information****UN-Number**

DOT, IMDG, IATA Not applicable.

UN proper shipping name

DOT, IMDG, IATA Not applicable.

Transport hazard class(es)

DOT, IMDG, IATA
Class Not applicable.

Packing group

DOT, IMDG, IATA Not applicable.

Environmental hazards:

Marine pollutant: No

Special precautions for user Not applicable.

Transport/Additional information:**DOT**

Remarks: Not Regulated.

Note: Not Regulated for Canada TDG.

UN "Model Regulation": Not applicable.

15 Regulatory information**Other regulations in domestic and foreign countries****SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

North America Chemical Inventory Status**TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

65996-61-4 Cellulosic Fiber

9003-53-6 Expanded Polystyrene

(Cont. on page 8)

USGHS

Safety Data Sheet

Printing date 01/23/2023

Version Number 1.0

Reviewed on 01/19/2023

Trade name: MK-6 S

(Cont. from page 7)

California Proposition 65: (Substances <0.1% unless noted in Section 3)**Chemicals known to cause cancer:**Quartz (SiO₂)**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenicity Categories**TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)****Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**Quartz (SiO₂)

A2

NIOSH-Cancer (National Institute for Occupational Safety and Health)14808-60-7 | Quartz (SiO₂)**Volatile Organic Compounds (VOC) reported per the Emission Standards. 0 g/L****16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:COLOMBIA

ParquiAmerica, Mamonal Km 6 Bodega 4 y 5 Manzana G

Cartagena, Colombia

T +57 5 6930230 | M +57 3114621174

Línea 123 - Línea de atención 24 horas SISTEMA ARL SURA 01 8000 51 1414 ó +57(1)405-5911

MEXICO

Isidro Fabela s/n

Col. Isidro Fabela

52600 Tianguistenco, México

Mexico: (713) 690-2130 (24 hours)

BRAZIL

Av. Paraná, 4690 Cajuru do Sul

Sorocaba SP, Brazil 18105-000

Tel: +55 (15) 3235-4700 Fax: +55 (15) 3235-4705

Telefone para Emergência durante Transporte:

Proquímica - 0800-118270

CHILE

Camino El Otoño 525

Lampa, Santiago - Chile

Teléfono: 56-02-4842300

Fax: 56-2-4842392

ARGENTINA

Primera Junta 570

Quilmes, B1878IPL ARGENTINA

Phone: 54 11-4229-5303

GCP Applied Technologies

62 Whittemore Avenue

Cambridge, MA 02140 USA

USA: +1-617-876-1400 (24 horas)

(Cont. on page 9)

USGHS

Safety Data Sheet

Printing date 01/23/2023

Version Number 1.0

Reviewed on 01/19/2023

Trade name: *MK-6 S*

(Cont. from page 8)

+1-800-354-5414 (8AM-5PM) Not functional in Massachusetts

Contact:**The first date of preparation** 08/05/2016**Number of revision times and the latest revision date** 1.0 / 01/19/2023

USGHS